

**maxxpower**® Schmierstoffe sind in Analytik-Zentren entwickelt und erprobt - werden in Deutschland nach höchsten Qualitätskriterien hergestellt und stehen für den Einsatz in unterschiedlichsten Regionen weltweit bereit. Wir verwenden nur beste Basisöle und Additive, um sicherzustellen, dass Sie Produkte erhalten, die höchsten Leistungsanforderungen gerecht werden - jetzt und für die Zukunft.

**maxxpower** lubricants were developed and tested in analytics centres. Produced as per the highest quality German standards, the lubricants are available in the majority of countries worldwide. Only the best base oils and additives are used to ensure that our products meet the highest performance levels - now and also in the future.



# maxx power

Ready for use,  
around the globe.



**ENGINE OILS & LUBRICANTS**  
[www.maxxpower.info](http://www.maxxpower.info)



**THE NEXT GENERATION OF LUBRICANTS-  
ADVANCED FLUID ENGINEERING**



CTP GmbH  
Saalfelder Straße 35h 07338 Leutenberg / Germany  
Phone: +49(0)36734 230-0 | Fax: +49(0)36734 230-22  
[www.bluechemgroup.com](http://www.bluechemgroup.com) | [www.maxxpower.info](http://www.maxxpower.info)

Catalogue







## ... because it works!

Since 1988 our products for cleaning, service and maintenance for the automobile industry have been distributed in the global market. In 1999 the Chemisch Technische Produktions GmbH was founded. Subsequently, the production of the wide range of products was relocated to Leutenberg/Thuringia.

In the following years, we experienced an extremely rapid growth, both at national level as well as throughout the world. This enormously fast development led us to many great collaborations. We acquired various outstanding international distributors respectively importers and we also founded our own companies and joint ventures in different countries. The consequence of this successful development was the creation of a new community summarizing everything under one umbrella - the bluechemGROUP.

**Werner Urban**  
President | CEO



**bluechem** ■ ■  
**GROUP**  
*...because it works!*



## INTRODUCTION TO THE BLUECHEM GROUP

The bluechemGROUP (BCG) is a group of companies and a network of distributors with global activities and partners in more than 120 countries. The group's success is based on the commitment to lead the automotive industry in developing and patenting of performance-optimizing and environmentally-friendly products of highest quality expanded by modern workshop, industry and service concepts.

Continuous innovation, creativity, expertise, strategic operations, global supply chain management and highly motivated employees are the foundation of the bluechemGROUP. It uses its experiences with international competition, its professional knowledge and know-how as a service for the group's partners and customers.





## INTRODUCTION TO MAXXPOWER LUBRICANTS:

The Bluechem Group has always strived to offer the best in products & services to our customers across the globe.

Bluechem is now proud to present the entire range of Maxxpower Automotive Lubricants for all kinds of vehicles. Our product portfolio now comprises of:

### Engine Oils- Synthetic, Semi Synthetic & Mineral

- Commercial Vehicles (Trucks, Buses, Light commercial vehicles)
- Passenger Cars
- Motorcycles
- Tractors

### Gear Oils - Synthetic & Mineral

### Greases

### Brake Fluids


### Coolants

### Hydraulic Oils

All these top products will now be available  
Ex Germany & Ex UAE (Dubai)

## WHY MAXXPOWER FROM BLUECHEM?

- From the Bluechem Heritage
- Entire Automotive product portfolio
- Top Specifications & Recommendations
- Manufactured from only Top & High quality Base Oils like Yubase, Petronas & Additives like Infineum, Afton & Lubrizol only





## MAXXPOWER PRODUCT RANGE

Category	Name of Brand	Specifications	Recommendations
<b>Car Engine Oils</b>	0W20(Fully Synthetic)	API SN	ACEA C5, VW TL 52577 Porsche C20, VW-Norm 508 00 und 509 Not backwards compatible with VW 504 00/507 00 or other VW specifications.
	0W-40	API SN	ACEA A3/B4, MB229.5/3, RN0700/0710, PORSCHE A 40
	0W40(Fully Synthetic)	API SN	ACEA A3 / B4 VW 502 00 / 505 00 MB 226.5 Renault RN 0700 / 0710 Porsche A40 Ford WSS-M2C937-A BMW Longlife-01 MB-Freigabe 229.5
	5W20(Fully Synthetic)	API SN	ACEA C5, VW TL 52577 Porsche C20, VW-Norm 508 00 und 509 Not backwards compatible with VW 504 00/507 00 or other VW specifications.
	5W30(Fully Synthetic)	API SP	ILSAC GF-6A, GM dexos1 Gen 2, Ford WSS-M2C961, Chrysler MS-6395, Daihatsu, Honda, Kia, Isuzu, Lexus, Mazda, Nissan, Subaru, Suzuki, Toyota
	5W30(Fully Synthetic)	API SN	ACEA C3 / C2 BMW Longlife-04 VW 505 01 / 502 00 / 505 00 MB 229.52 / 229.51 / 229.31 GM dexos 2
	5W40(Fully Synthetic)	API SP	ILSAC GF-6A, GM dexos1 Gen 2, Ford WSS-M2C961, Chrysler MS-6395, Daihatsu, Honda, Kia, Isuzu, Lexus, Mazda, Nissan, Subaru, Suzuki, Toyota
	5W40(Fully Synthetic)	API SN	ACEA A3 / B4 VW 502 00 / 505 00, MB-Freigabe 229.3 BMW LL 98, Renault RN 0710 / 0700 Porsche A40, Opel GM-LL-B-025 Fiat 9.55535-M2, PSA B71 2296
	5W50(Fully Synthetic)	API SN	ACEA A3 / B4 VW 502 00 / 505 00, MB-Freigabe 229.3 BMW LL 98, Renault RN 0710 / 0700 Porsche A40, Opel GM-LL-B-025 Fiat 9.55535-M2, PSA B71 2296
	10W30(Semi - Synthetic)	API SN	



Category	Name of Brand	Specifications	Recommendations
<b>Car Engine Oils</b>	10W-30(Syn)	API SN	ACEA A3/B4 Renault RN 0700 MB 229.3 (deckt MB 229.1 ab) VW 501 01 / 505 00 PSA B71 2296
	10W-30(Min)	API SN	
	10W40(Semi - Synthetic)	API SN	ACEA A3/B4 Renault RN 0700 MB 229.3 (deckt MB 229.1 ab) VW 501 01 / 505 00 PSA B71 2296
	20W50	API SL	ACEA A3/B4 MB 229.1


Category	Name of Brand	Specifications	Recommendations
<b>Diesel Engine Oils</b>	10W40(Fully synthetic)	API CJ4	ACEA E9 / E7 MB 228.31, MAN 3275 / 3575, MTU Typ 2.1, DDC 93K218, CAT ECF-3 / ECF-2 / ECF-1a, Cummins CES 20081, JDQ-78 X, Deutz DQC III-10LA, Ford WSS-M3C171-E, Volvo VDS-4, Mack EO-O Premium Plus, Renault VI RLD-3
	15W40(Semi synthetic)	API CI4	ACEA E9 / E7 MB 228.31, MAN 3275 / 3575, MTU Typ 2.1, DDC 93K218, CAT ECF-3 / ECF-2 / ECF-1a, Cummins CES 20081, JDQ-78 X, Deutz DQC III-10LA, Ford WSS-M3C171-E, Volvo VDS-4, Mack EO-O Premium Plus, Renault VI RLD-3
	15W40	API CH4	ACEA E7, Caterpillar ECF-1a / ECF-2, Cummins CES 20077 / 20078, DDC 93K215, Global DHD-1, Volvo VDS-3, JASO DH-1, Mack EO-M Plus / EO-N, MAN M 3275, MB 228.3, MTU Typ 2.0, Renault RLD1 / RLD2, Deutz DQC III-10
	15W40	API CF4	Volvo VDS-3, MB 228.3,
	MONOGRADE SAE 40	API CF	
	MONOGRADE SAE 50	API CF	



Category	Name of Brand	Specifications	Recommendations
<b>Motorcycle Oils- Four Stroke</b>	(Fully synthetic)-10W50	API SN	ACEA A3 JASO MA2
	(Synthetic blend)-10W40	API SN	ACEA A3, JASO MA2
	SAE20W40 2T(Fully synthetic) 2T(Synthetic blend)	API SM	



Category	Name of Brand	Specifications	Recommendations
<b>Gear &amp; Transmission Oils</b>	90EP	API GL4	
	140 EP	API GL4	
	80W90(Full synthetic)	API GL5	MIL-L-2105 D, MB 235.0 & MB 235.6 ZF TE-ML 05A, 07A, 08, 12E, 16B-D, 17B, 19B, 21A MAN 342 M-2
	80W90(Synthetic blend)	API GL4	MB 235.1 ZF TE-ML 06L, 08, 16A, 17A, 19A, 19C, 24A MAN 341 E-1
	ATF 3(Synthetic blend)	DEXRON III	Allison C-4, Allison TES, 389 MB 236.1, 236.5, 236.6 & 236.7 MAN 339 Typ Z1 & V1, Z2 & V2 Ford Mercon Ford M2C138-CJ, M2C 166-H Volvo 97340, 97341 Voith 55.6335 & 55.6336 ZF TE-ML 02F, 04D, 09,11A, 14A & 17C
	ATF 4(Synthetic blend)	DEXRON III G	MB 236.12 MB 236.14 Audi/VW G052 162 (A1,A2) Porsche P/N 999 917 547 00 PSA Peugeot/Citroen P/N Z 000169756 Jaguar JLM 20238
ATF 6(Fully Synthetic )	DEXRON III H	Aisin Warner AW-1, Aisin Warner AW F8FXX, Aisin Warner JWS 3324, Bentley P/N PY112995PA BMW/Mini P/N 83 22 0 142 516 BMW/Mini P/N 83 22 0 397 114 BMW/Mini P/N 83 22 2 163 514 (BMW 8072 B) Chrysler/Dodge/Jeep P/N 05127382AA Chrysler/Dodge/Jeep P/N 68043742AA Daimler / Mercedes MB 236.12, 236.14, 236.41 FORD/Lincoln/Mercury P/N XT-10-QLV [LV] FORD/Lincoln/Mercury P/N XT-6-QSP or -DSP [SP] GM/GMC/Opel/Saturn AW1 GM/GMC/Opel/Saturn P/N 88863400, 88863401 Honda/Acura DW-1 Honda 082000-9017 (ATF Type 3.1) Hyundai/Kia NWS-9638 T-5	
CVT+		BMW 8322 0 429 154 / 8322 0 429 159 Chrysler/Dodge/Jeep NS-2 Chrysler/Dodge/Jeep/Mopar CVT+ 4 Daihatsu Ammix CVT DC/DFC/DFE Daihatsu TC, Ford CVT 23, Ford WSS-M2C928-A GM / Saturn DEX-CVT, Honda ATF-Z1*, HCF2, Honda HMMF*, Hyundai / Kia SP-III (CVT Model), Hyundai/Kia CVT-J1, JASO M358, Mazda JWS 3320 MB 236.20, MB A 001 989 46 03, Mini Cooper EZL799/EZL799A/ZF CVT V1 Mitsubishi CVTF-J1 (MMC Diaqueen CVT Fluid J1) Mitsubishi (Diaqueen) SP-III (nur CVT Model) Mitsubishi CVTF-J4 & J4+ (MMC Diaqueen CVT Fluid J4 & J4+)	



Category	Name of Brand	Specifications	Recommendations
<b>Gear &amp; Transmission Oils</b>			Nissan NS-1, NS-2, NS-3, Punch CVT, Subaru ECVT, iCVT, iCVT FG / NS-2 Subaru Lineartronic High Torque (HT) CVTF Subaru Lineartronic chain CVTF/CVTF II Suzuki CVTF TC, CVT Green 1/2/1V, NS-2, CVTF 3320 Toyota CVTF TC, CVTF FE VW/Audi TL521 16 (G 052 516 A2) VW/Audi TL521 80 (G 052 180 A1/A2/A6) **Use in Honda CVT with starting clutch is not recommended
	DSG+		Audi / Volkswagen / Seat / Skoda - G 052 182 A2/A6 (TL 52 182), G 052 529 A2/A6 (TL 52 529) - G 055 529 (TL 52 529-C) BMW - DCTF-1 (83 220 440 214), MTF-LT-5 (83 22 2167 666), 83 22 0397 244, 83 22 2147 477, 83 22 2 148 578, 83 22 2 148 579 und 83 22 2 446 673 Bugatti Veyron Citroen / Peugeot- 6DCT451 (PSA 9734.S2) Chrysler Powershift 6-Speed (Getrag), 68044345 EA & GA Ferrari - TF DCT-F3 Ford/Nissan Powershift 6-Speed (GFT), Ford-WSS-M2C-936-A, WSS-M2C-200-D2 Mercedes Benz - MB 236.25, MB 236.21, MB 236.24 Mitsubishi-Diamond Queen SSTF-1, TC-SST 6-Speed (GFT) Renault EDC 6-Speed (Getrag) Porsche - 043 207 29, 043 207 30, 000 043 20, 000 043 305 13, 999 917 080 00 Porsche - 000 043 210 44, 971 094 307 02A Renault - BOT 450 Volvo Powershift 6-Speed (GFT)/1161838/1161839 ZF TE-ML 11 (ZF004743)

Category	Name of Brand	Specifications	Recommendations
<b>Greases</b>	ALL PURPOSE GREASE-MP3		
	LONG LIFE-100000 KMS		





Category	Name of Brand	Specifications	Recommendations
<b>Coolants</b>	MAXXPOWER GREEN HEAVY DUTY COOLANT	ASTM D3306 and ASTM D6210	For all Light & Heavy duty vehicles

Category	Name of Brand	Specifications	Recommendations
<b>Brake Fluids</b>	DOT3 MAXXPOWER UNIVERSAL BRAKE FLUID	SAE J1703, FMVSS 116 DOT3, ISO 4925 and JIS K2233	For hydraulic brake and clutch systems of passenger cars and commercial vehicles with the exception of those systems for which a mineral oil based fluid is recommended
	DOT4 MAXXPOWER UNIVERSAL BRAKE FLUID	SAE J1703, SAE J1703, FMVSS 116 DOT4, ISO 4925 and JIS K2233	For hydraulic brake and clutch systems of passenger cars and commercial vehicles with the exception of those systems for which a mineral oil based fluid is recommended

Category	Name of Brand	Specifications	Recommendations
<b>Hydraulic</b>	HYDRAULIC FLUID 32,46,68	HLP 32	DIN 51 524 Teil 2 HLP ISO 6743/3 HM AFNOR NF E 48 602 HM Denison HFO, HF1, HF2
		HLP 46	
		HLP 68	
		HVLP 32	
		HVLP 46	
		HVLP 68	



**COMING  
SOON**

MAXXPOWER Range of Industrial Lubricants like  
Cutting oils, Compressor Oils, Marine Oils etc

Thermal fluids for Electric vehicles